

STILL.



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

AMSOIL Synthetic Fifth-Wheel Grease

		Date Version	: 10/01/2016 : 4
GHS product identifier	: AMSOIL Synthetic Fifth-Wheel Grease		
Code	: FWG		
Product type	: Solid.		
Identified uses	: Lubricating Grease.		
Manufacturer	: AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101		
Initial Supplier (Canada)	: AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547		
Emergency telephone number (with hours of operation)	: CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls a (24/7)	ccepted)	

Section 2. Hazards identification

OSHA/HCS status Classification of the	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). EYE IRRITATION - Category 2A
substance or mixture	SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 4
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 Causes serious eye irritation. May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life.
Precautionary statements	
Prevention	: Wear protective gloves. Wear eye or face protection. Avoid release to the environment. Avoid breathing dust. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Date of issue : 10/01/2016

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

Response	: IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise cla	ssified (HNOC)
Physical hazards not otherwise classified (PHNOC)	: None known.
Health hazards not otherwise classified (HHNOC)	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers

CAS number	: Not applicable.
Product code	: FWG

Ingredient name	%	CAS number
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	25 - 40	68037-01-4
Sulfonic acids, petroleum, calcium salts	5 - 10	61789-86-4
Calcium Dodecylbenzenesulphonate	1 - 5	26264-06-2
Diboron calcium tetraoxide	1 - 5	13701-64-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Maintain an open airway. Get medical attention if symptoms occur.

Order by Phone 1-800-956-5695 - Give Operator Reference #6369480

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Most important symptoms	s/effects, acute and delayed
Potential acute health eff	fects
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/syr</u>	nptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.
Indication of immediate m	edical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
Protection of first-aiders	: Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material may cause long lasting harmful effects to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Date of issue : 10/01/2016

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

breathing

Hazardous thermal decomposition products	composition products ma bon dioxide bon monoxide fur oxides etal oxide/oxides	y include the following materials:
Special protective actions for fire-fighters	special protection is requ	uired.
Special protective equipment for fire-fighters		propriate protective equipment and self-contained I face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	:	Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for containment and cleaning up		

Spill: Move containers from spill area. Approach release from upwind. Prevent entry into
sewers, water courses, basements or confined areas. Avoid dust generation. Do not
dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed,
labeled waste container. Dispose via a licensed waste disposal contractor. Note: see
Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

FREE CATALOG

SAVE UP TO 25%

direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials

(see Section 10) and food and drink. Keep container tightly closed and sealed until

AMSOIL Synthetic Fifth-Wheel Grease

meonipationales	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Section 8. Expos	ure controls/personal protection
<u>Control parameters</u> <u>Occupational exposure lim</u> Under conditions which m ACGIH TLV TWA: 5 mg/m ³	ay generate mists, the following exposure limits are recommended:
United States	
None known.	
<u>Canada</u> <u>Occupational exposure lim</u> None.	<u>its</u>
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection meas	<u>lres</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

SAVE UP TO 25%

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [Grease.]
Color	: Gray. [Dark]
Odor	: Mild (Faint.)
Odor threshold	Not available.
рН	Not applicable.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	: Not available.
Vapor density	Not available.
Relative density	: 0.97
Solubility	Insoluble in the following materials: cold water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): 1.5 cm²/s (150 cSt)
Volatility	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

: 10/01/2016

Date of issue

FWG

Order by Phone 1-800-956-5695 - Give Operator Reference #6369480

BUY ONLINE

FREE CATALOG

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials and acids.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sulfonic acids, petroleum, calcium salts	LD50 Dermal	Rabbit	>5 g/kg	-
Calcium Dodecylbenzenesulphonate	LD50 Oral LD50 Oral		>5 g/kg 1300 mg/kg	-

Irritation/Corrosion

There is no data available.

Sensitization

There is no data available.

Carcinogenicity

There is no data available.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Diboron calcium tetraoxide	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

Name	Result
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	ASPIRATION HAZARD - Category 1

Information on the likely : Dermal contact. Eye contact. Inhalation. Ingest	ion.
---	------

routes of exposure

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
-------------	--

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

Inhalation	No known significant effects or critical hazards.	
Skin contact	Adverse symptoms may include the following: rritation edness	
Ingestion	No known significant effects or critical hazards.	
Delayed and immediate effect	nd also chronic effects from short and long term exposure	
Short term exposure		
Potential immediate effects	No known significant effects or critical hazards.	
Potential delayed effects	No known significant effects or critical hazards.	
Long term exposure		
Potential immediate effects	No known significant effects or critical hazards.	
Potential delayed effects	No known significant effects or critical hazards.	
Potential chronic health eff		
General	Once sensitized, a severe allergic reaction may occur when subsequently exposed very low levels.	to
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity	lo known significant effects or critical hazards.	
Developmental effects	No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	43771 mg/kg

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	>6.5	-	high

FWG

SAVE UP TO 25%

Mobility in soil Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	TDG	IMDG	IATA
UN number	UN3077	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Calcium Dodecylbenzenesulphonate) RQ (Calcium Dodecylbenzenesulphonate)	-	-	-
Transport hazard class(es)	9	-	-	-
Packing group	Ш	-	-	-
Environmental hazards	No.	No.	No.	No.

9/11

Order by Phone 1-800-956-5695 - Give Operator Reference #6369480

: 10/01/2016

Date of issue

÷

FREE CATALOG

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

Additional information	Reportable quantity 33670 lbs / 15286.2 kg The classification of the product is due solely to the presence of one or more US DOT-listed 'Hazardous substances' that are subject to reportable quantity requirements and only applies to shipments of packages greater than, or equal to, the product reportable quantity. Package sizes less than the product reportable quantity are not regulated as hazardous materials.	-		-
AERG : 171 DOT-RQ Details : Calcium Dodecylbenzenesulphonate				
Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.				
Transport in bu to Annex II of M the IBC Code	-	le.		

Section 15. Regulatory information

U.S. Federal regulations	: United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 311: Calcium Dodecylbenzenesulphonate			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed			
Clean Air Act Section 602 Class I Substances	: Not listed			
Clean Air Act Section 602 Class II Substances	: Not listed			
DEA List I Chemicals (Precursor Chemicals)	: Not listed			
DEA List II Chemicals (Essential Chemicals)	: Not listed			
SARA 302/304				
<u>Composition/information on ingredients</u>				
No products were found.				
SARA 304 RQ	: Not applicable.			
<u>SARA 311/312</u>				
Classification	: Immediate (acute) health hazard			

Date of issue : 10/01/2016

SAVE UP TO 25%

AMSOIL Synthetic Fifth-Wheel Grease

: 10/01/2016

Date of issue

Composition/information on ingredients

Name	hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Sulfonic acids, petroleum, calcium salts	No.	No.	No.	Yes.	No.
Calcium Dodecylbenzenesulphonate	No.	No.	No.	Yes.	No.
Diboron calcium tetraoxide	No.	No.	No.	Yes.	No.

SARA 313

No products were found.

State regulations

Massachusetts

New York

- : The following components are listed: Calcium Dodecylbenzenesulphonate
- ÷. The following components are listed: Calcium Dodecylbenzenesulphonate

2

New Jersey Pennsylvania

The following components are listed: Calcium Dodecylbenzenesulphonate : The following components are listed: Calcium Dodecylbenzenesulphonate

California Prop. 65

No products were found.

Canada

<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.

Section 16. Other information

<u>History</u>	
Date of issue mm/dd/yyyy	: 10/01/2016
Date of previous issue	: 03/15/2014
Version	: 4
Prepared by	: AMSOIL INC.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.